BI

(9日本国特許庁(JP)

① 特許出願公開

EV 907490422

⑩公開特許公報(A)

昭54—152319

(1) Int. Cl.2 E 04 C 2/38 識別記号

10日本分類 86(5) B 33

庁内整理番号

②公開 昭和54年(1979)11月30日

6838-2E

発明の数 1 審査請求 未請求

(全2 頁)

❷建築用パネル

@特

昭53-60306

昭53(1978)5月20日 ②出 願

明 @発 者 中川勇二 門真市大字門真1048番地 ナシ ョナル住宅建材株式会社内

创出 願 人 ナショナル住宅建材株式会社

門真市大字門真1048番地

個代 理 人 弁理士 伊藤和三郎

/ 発肌の夕称 / 唇許商水の範囲

枠体の表面に外装材を製製両面に前配枠体と外 報材に関込む多数の供片を打扮も形成した帝級を 介して固定してなる種薬用パネル。

1. 発明の詳細な説明

本免例は、枠体!の装御に外装材とを装裏両面 に削配枠体/と外装材 2 に喰込む多数の楔片 3 を 打払き形成した帯級メを介して臨定して左る趣祭 用パネルに割するもので、その目的とするところ は強度並びに美観の向上と製作に使ならし始んと するにある.

而して本発明は上配した構成であるから、存存 / と外装材 2 の間に介在する表裏両面に前配枠体 1と外装材は化喰込む多数の楔片はを打抜き形成 した帝飯をは、枠体!と外装材はを前配復片まだ よつて確実化鉄台して固定すると同時に整体!と 外転材2のリブ作用をして強固に補強するから、 **政品の策度は著しく向上する一方、従来のように**


外装材でを枠体!の表面に釘や飯等の如き止具を 用いて固定するものと異なり、外装材での表面に は、とれら止具の顕乱が貫出したり、或いは顕都 より発生する厳勢による外襲材工の変色は生じな いから、外観上の美観が向上するととは勿論、枠 体1、帯版#、外装材 2 をその風序で積層するよ うに充合した後、上方よりプレス機によつて前記 幹体、帯板及び外襲材を同時に圧搾すれば、成品 を連続的に生産するととが出来るから、従来の加 く炉剤な工程を砂するものと嵌べて製作工程を大 巾に短略出来るという至便な効果がある。


7. 図面の簡単を説明

図面は本発明の実施例を示すもので、第1脚は 分解斜視圏、第2 脚は外差材の固定状態を示す要 都の切欠側面箆である。

主要符号 / ……特体、2 ……外装材、3 …… 楔片、 **4 ……帯飯。**

> **特許出題人** ショナル住宅雄材株式会社





JP-A-S54-152319

Japanese Patent Unexamined Publication No. S54-152319

Date of Publication: November 30, 1979

Application No. S53-60306

Date of Application: May 20, 1978

Inventors: Yuji Nakagawa

Applicant: National Housing Building Material Co., Ltd.

Title of the Invention: ARCHITECTURAL PANEL

Claims:

1. An architectural panel comprising a frame body, an armoring material, many wedge pieces, and a band plate, wherein the armoring material is secured to a front surface of the frame body by way of the band plate formed by punching out the many wedge pieces buckling in said frame body and armoring material in both front and rear surfaces thereof.

Brief Description of the Drawings:

Drawings show an embodiment of the present invention, Fig. 1 is an exploded perspective view, and Fig. 2 is a partial side-elevational view of an important portion in a state of securing an armoring material thereon.

 $_{\mathfrak{M}}$ A main symbol 1 ... a frame body, 2 ... an armoring material, $\overset{\sim}{\circ}$ 3 ... wedge pieces, 4 ... a band plate.

O Note:

If further translation is needed, please let us know.

6

4